



ODYSSÉ II ÉVOLUTION by POSLIGNE® dual screen integrated system

HSD EXCLUSIVE
by POSLIGNE®



Odysse II Evolution is the new generation of the Odysse integrated system by POSLIGNE®, featuring a dual screen system for digital signage applications.

new colours



*Cassis [violet] – Iris [metallic mauve] – Silver [metallic silver]
Kiwi [green] – Mocha [coffee brown]

This version of the all-in-one **Odysse II** terminal offers a second screen facing the customer, for digital signage applications, which can be programmed to display images, text and informational content to customers during cash desk operations.

This second adjustable, non-touch 8.4" display (22 x 17.5cm overall) is located on the rear of the unit and connected to the system's motherboard, enabling real-time, effective communication to customers at retail outlets, leisure centres, bars, restaurants and hotels, for messages to have a direct, spontaneous impact.

Odysse II Evolution benefits from POSLIGNE® exclusive 'Clip'n Color' system - a series of 10 interchangeable polycarbonate colour clips located on the device, which can match retail store brand image and visual identity.

Combining design style and high performance, **Odysse II Evolution** incorporates the very best in POS technologies: **Intel Pentium Dual-Core** processor, integrated RAID 1 controller, the HSD Exclusive software platform, 1GB DDR3 of RAM (up to 4GB...) and more.

HSD Exclusive by POSLIGNE® (*Hardware Status Display*): this embedded utility provides an instant display of all the key system data – in a choice of three languages (*processor and fan temperatures, power supply readings, HDD status and RAID*), and so on.

This feature also allows the key data from an entire batch of terminals to be centralised, automatically sending information via e-mail (to a store chain's Information Systems Manager or Hotline), for as many units and locations as required.

ODYSSÉ II by POSLIGNE®

ODYSSÉ EVOLUTION *design and technology*

- +
- +
- +
- +
- +

COLOURS OF THE CLIPS

	cassis		tonic orange
	iris		carmine red
	silver		pure white
	kiwi		black piano
	mocha		indigo blue

NEW

COLOURS OF THE SYSTEM BASE

	pearl		graphite
---	-------	---	----------

MODEL

ODYSSÉ II EVOLUTION

Processor	Intel Pentium Dual-Core E5300
Chipset	82 G41 + ICH 7
Memory (RAM)	1GB DDR3 DIMM up to 4GB (2 slots)
Graphics memory	Up to 1.7GB shared RAM
RAID 1 Controller	integrated (Hot Swap)
Hard disk drive(s)	1 x 2.5" HDD + optional second hard drive
Touchscreen	15 inches / ELO Touch screen / 60° adjustment
Resolution	1024 x 768
2 nd LCD monitor	8.4" for dynamic display

SECOND SCREEN

Non-touch swivelling LCD screen
8.4" – 22 x 17.5cm including surround
LCD resolution: 800 x 600
LCD brightness: 250 cd/sqm
Directly connected to the motherboard

INPUTS / OUTPUTS

Front face	on/off switch 2 USB ports
Rear face	
USB	6 USB 2.0 ports
Serial/COM	4 COM type ports (DB9 type, 5V/12V configurable via BIOS)
PS2	1
Line output	1
Mike input	1
Giga LAN network connection	1
Cash drawer output	1 x RJ11 (12V / 24V)
Printer output	1 x 24V

OTHER FEATURES

Loudspeakers	2 integrated
Mini PCI-e port	integrated
Internal power supply	EU "Energy Star" compliant
Dimensions (W x H x D)	375 x 381 x 325 in tilted position (60° screen angle)
Weight	10.75kg including card reader
Materials	polycarbonate (frames, accessories and customer display)
Compatible Operating Systems	POSReady, Windows XP Pro, WIN 2000/NT 4.0, Windows 7, Linux, etc.

OPTIONS

Badge and magnetic card reader (MCR)	Biometric (fingerprint) and MCR reader
Dallas key reader	CD/DVD reader/burner
Combined Dallas key and magnetic card reader	2 nd hard disk
Contactless badge reader (MIFARE)	WIFI



ODYSSÉ II ÉVOLUTION ALL TOUCH

by POSLIGNE®

EPOS terminal with "all-touch" dual screen system

HSD EXCLUSIVE
by POSLIGNE®



Odysse II Evolution All Touch is the latest generation of the Odysse integrated system by POSLIGNE®, featuring a dual screen system (now with 2 touch screens) for interactive and digital signage applications.

new colours



*Cassis [violet] – Iris [metallic mauve] – Silver [metallic silver]
Kiwi [green] – Mocha [coffee brown]

This version of the all-in-one **Odysse II** terminal has a second touch screen facing the customer, for digital display applications, which can be programmed to display images, text and informational content to customers during cash desk operations.

This second adjustable, 8.4" touch display (22 x 17.5 cm overall) is located on the rear of the unit and connected to the system's motherboard, enabling real-time, effective communication to customers at retail outlets, leisure centers, bars, restaurants and hotels, for messages to have a direct, spontaneous impact.

Odysse II Evolution All Touch benefits from POSLIGNE®'s exclusive 'Clip'n Color' system - a series of 10 interchangeable polycarbonate colour clips located on the device, which can match retail store brand image and visual identity.

Combining design style and high performance, **Odysse II Evolution All Touch** incorporates the very best in POS technologies: INTEL Pentium Dual-Core processor, integrated RAID 1 controller, the **HSD Exclusive** software platform, 1GB DDR3 of RAM (up to 4GB...) and more.

HSD Exclusive: this feature also allows the key data from an entire batch of terminals to be centralised, automatically sending information via e-mail (to a store chain's Information Systems Manager or Hotline), for as many units and locations as required.

ODYSSÉ II by POSLIGNE®

