

ODYSSÉ by POSLIGNE®

tonic orange

carmine red

pure white

spice yellow

soft blue

indigo blue

metal grey

racing green

Integrated terminal with 8 interchangeable colours to blend perfectly with every kind of retail style, décor and atmosphere



INTEGRATED SYSTEM

Odyssé is the first exclusive POSLIGNE® collection of integrated touchscreen point-of-sale terminals with distinctively styled, colourful and contemporary lines.

The unique «Clip'n Color» concept uses interchangeable polycarbonate colour clips located on the unit's sides, touchscreen frame and integrated customer display. Odyssé can change its hue to match retail stores' brand image and visual identity.

Combining design style and high performance, the one-of-a-kind Odyssé terminal incorporates the latest POS technologies (Intel P4 processor with 1GB of RAM for «Power+» version, RAID 0/1, RFID, Wi-Fi interface, SATA disk drives and more).

Touchscreen

Processor INTEL Celeron 2.5Ghz or INTEL Pentium 4 - 2.6Ghz

1 integrated

15"

Hard disk drive(s) 80GB 3.5"

Interface RAID 0/1 – SATA available RAM 512MB, expandable to 2GB

Touchscreen Resistive
Display angle 60° adjustment
Resolution 1024 x 768
Brightness 250cd/sqm

Customer display 2 lines x 20 characters
Compact Flash Drive 1 easy-access flip cover

PCI mini port

Inputs/Outputs

111111

2 or 4 (2 on front face) USB 2.0 ports,

port USB retail 24V & 12V, 4 x serial ports, parallel port,

24V port, 10/100 network port, cashdrawer port,

keyboard/mouse port

Power supply Integrated

Dimensions (mm) 418 x 361 x 222 in upright position

418 x 381 x 325 in tilted position (60° screen angle)

Weight 10.2kg including card reader

Polycarbonate (frames, accessories and customer display)

Materials OPTIONS

Reader for magnetic cards Contactless RFID cards reader Dallas key reader

CD/DVD player Wi-Fi interface

2nd hard disk for RAID technology



A high-performance PC platform for all retail applications and environments



POSÉO by POSLIGNE®

MODULAR SYSTEM

Poséo is one of the most powerful PC platforms available on the POS technology market.

Featuring compact dimensions, this system is sturdy, safe, reliable, long-lasting and easy to maintain, and is at home in both «front office» environments (cash desk) and in the «back office» (where it can be used as a server, for example).

Designed especially for the world of retail, When used with a touchscreen such as POSLIGNE®'s OLC 15, Poséo functions as the nerve centre of an ultra-high-performance point of sale system.

> The Poséo PC is built on a 1.6 mm-thick reinforced steel baseframe, ensurina optimum solidity.

In the 5200 version of Poséo, the RAID controller provides maximum protection of sensitive data, thanks to automatic back-up. A control screen displays real-time system status.





POSÉO 5200 Model

Processor Celeron D 3.2GHz - Core 2 Duo 2.13 GHz - P4 3.4 GHz

Chipsets INTEL 945G + ICH7R RAM up to 4GB - 2 x DDR2

SATA 80 GB hot swap disk drives (1 or 2 disks) Hard disk drive

RAID 0/1 integrated 2 x PCI Control LCD display in front

Inputs/outputs 1 x LAN (Giga), 1 x port DVI, 1 x RS485 / RS422,

> 6 x USB 2.0, 2 x RS232 (self powered), 3 x RS 232, 1 x cashdrawer output, 1 x output 12 V, 1 x output 24 V

Dimensions (W x D x H) 270 x 335 x 120 mm

7 kg Weight integrated Power supply



OPTIONS (for the Poséo 5200 model only)

Option 1:4 x USB Retail + 4 x USB 2.0 Option 2:2 x RS232 + 4 x USB 2.0

POSÉO 5100 Model

Dimensions (W x D x H)

Weight

Power supply

Processor Celeron 2.5 GHz Chipsets INTEL 852 GM + ICH4 RAM up to 2 GB - DDR

Hard disk drive 1 or 2 (IDE) Inputs/outputs 1 x LAN (10/100)

> 6 x USB 2.0, 2 x RS232 (self powered), 3 x RS 232, 1 x cashdrawer output, 1 x output 12 V, 1 x output 24 V

270 x 335 x 120 mm

7 kg

integrated

GALÉO by POSLIGNE®

VERTICAL INTEGRATED SYSTEM

Galéo is the vertical «all-in-one» integrated system of the POSLIGNE® range.

With its simple, fluid and minimalist lines, Galéo rises from its base unit – which contains both the CPU and the customer display – and has the smallest of sales counter footprints. Its vertical design makes it perfect for a wide range of applications including bars, restaurants, fast food outlets, multiple-till checkout counters and all forms of takeaway retail.

Sturdy and stable, Galéo offers well thoughtout accessibility featuring thumbscrews for tool-free opening at both front and rear.

This simplifies routine maintenance and enables quicker, easier servicing and maintenance. Galéo is available in fanequipped or fanless versions. It is available in 2 colours, pearl (white) and graphite (grey).



Touchscreen integrated terminal with modern design and elliptical curves





Touchscreen Processor

Chipset

Hard disk

Memory

Graphic Memory

Flash Memory

15"
Galéo 100 fanless: Intel Celeron 1.0 GHz ULV M

Galéo 150 : Intel Celeron (M) 1.5 GHz

Intel 852 GM + ICH4

HDD 40 GB 2.5" on removable support

SO DIMM 512 MB up to 2 GB shared memory up to 64 MB

Optional Flash disk

Touchpanel resistive

 Tilt angle
 adjustable 65°

 Resolution
 1024 x 768 max

 Brightness
 250 – 350 cd/m²

 Customer display
 2 lines x 20 characters

Inputs/outputs

4 x serial ports RS232, 4 x USB 2.0 (one on the front side of the system), 1 x parallel port, 1 x LAN 10/100 (RJ 45),

1 x cashdrawer (12 / 19 V), 1 x audio in/out, 1 x mini PCI slot

Fixing system for additional stability
Dimensions 290 x 200 mm (base) ,

about 420 mm high (vertical screen)

Weight 11 kg

OPTIONS

Magnetic card readers RFID contactless cards Dallas key readers

Wi Fl interface

Memory SO DIMM 1GB Additional video ouput



OCD 100 by POSLIGNE®

CUSTOMER DISPLAY

The OCD 100 features 2 x 20 character display lines and full swivel capability, with self-powering available via serial or USB retail ports.

Units are supplied with 3 different colour clip sets as standard, enabling users to customise their display to match their point of sale's colours and style.

Clips for OCD 100 (pearl)

Clips for OCD 100 (graphite)



ODP 200 by POSLIGNE®

THERMAL RECEIPT PRINTER

With fluid lines, specially selected materials (including polycarbonate) and interchangeable colours, the ODP 200 thermal printer features all the advantages of POSLIGNE® design.

With an easy-to-use 'drop-in' paper roll reloading system, a print speed of 150mm/s, 5 interfaces (parallel port, Ethernet, USB, serial port and Wi-Fi), end-of-roll detection and more, the ODP 200 complements all POSLIGNE® equipment.





PS 50/70 by **POSLIGNE**[®]

HANDHELD LASER READER & SCANNER

The PS 50 by POSLIGNE® has excellent design ergonomics, and is the only handheld laser scanner to come with a set of different colour clips, providing a perfect match with the other ePOS of the range.

The omnidirectional scanner PS 70 has a scan speed of 1400 scans/sec. It is especially dedicated to applications where space on the sales counter is usually limited.

OLC 15 by POSLIGNE®

POINT OF SALE TOUCHSCREEN

Fully in keeping with the POSLIGNE® spirit, the OLC 15 is the first point-of-sale touchscreen to feature interchangeable colour schemes. The unique modular «Clip'n Color» system, with clips in different hues, enables the device to be matched to any sales environment and maintain its visual identity.

Its refined, elegant lines, strikingly original profile and overall appearance make this touchscreen with integrated

power supply one of a kind on the market. Retail users and staff will love its state-of-the-art design - equally attractive when viewed from in front, behind, and in profile - and so will customers paying for their purchases.

All POSLIGNE® peripherals are compatible with other POS systems available on the market.





AURES SA

32, rue du Bois Chaland 91090 Lisses - FRANCE +33 (0)1 69 11 16 60

AURES GmbH Maisacherstr. 118 82256 Fürstenfeldbruck Deutschland +49 (0)8141-22715-0

AURES Ltd

Unit 2, Chandler Court - Picow Farm Road Runcorn, Cheshire, UK, WA7 4UH +44(0)1928 591 222





PRIN



Bucuresti, Calea Călărași nr.242, bl.77, ap.2, Sector 3, Tel: 021 327.87.27, www.aparaturafiscala.ro.

Asorteaza sistemul POS, nu il ascunde!

